


















# TFRS90L

## WOODEN DOOR - LINKAGE HANGING SLIDING SYSTEM



- Using a high precision roller, the movement of the door is very smooth, stable, and silent.
- The sliding aluminum door hardware is very easy to install.
- All the hardware is produced with high-quality control standards, which has passed the 24 hours salt-spray
- Hanging door hardware for aluminum doors weighing up to 100 kg each, not easy to deform.

ITEM CODE	MODEL NO	DESCRIPTION	WEIGHT	WIDTH	THICKNESS	LENGTH
TF212062125	TFRS90L	(2+2) INCONGRUOUS LINKAGE WOODEN SLIDING DOOR	100 KG	820-1200MM	35-60MM	-
TF212062151	TFAUDF01	UP & DOWN FRAME	-	-	-	-
TF212062152	TFVF01	VERTICAL FRAME	-	-	-	-
TF212062153	TFMF01	MIDDLE FRAME	-	-	-	-
TF212062154	TFCLS01	CONNECTOR	-	-	-	-
TF212062155	TFHSD01	HANDLE	-	-	-	-
TF212062147	TFRSL01W	FITTINGS	-	-	-	-
TF212062123	TFURC40	UPPER RAIL COVER FOR 2 DOOR HANGER	-	-	-	4000MM
TF212062124	TFBR40	BOTTOM RAIL	-	-	-	4000MM

Accessories	Qty 2 linkage Doors	Drawing
Outside rollers	1	
Inside rollers with damper	1	
Damper with hanging part	1	
Outside rollers with damper	1	
Belt fixing part	1	
Damper stopper	2	
Linkage runner guider	2	
Screw	2	
12M Transmission belt 12 meter	1	
Wooden door down guiding roller	2	
Cross countersunk head tapping screws	4	
Wooden door hanging plate	4	
2mm Allen key	1	
Inner hexagon screw	8	
2.5mm Allen key	1	
3mm Extended allen key	1	
4mm Allen key	1	
Cross countersunk head tapping screws	20	